Journal of Pharmaceutical and Biomedical Analysis

Volume 7 1989

LIST OF CONTENTS

Number 1

A. F. Fell	i	Editorial
Review		
M. B. Evans, P. A. Haywood, D. Johnson, M. Martin-Smith, G. Munro and J. C. Wahlich	1	Chromatographic methods for determining the identity, strength and purity of ranitidine hydrochloride both in the drug substance and its dosage forms—an exercise in method selection, development, definition and validation
Full Papers		
M. A. Abounassif, M. E. Mohamed and H. Y. Aboul-Enein	23	Colorimetric methods for the assay of nomifensine maleate
I. M. Khasawneh, M. C. Garcïa Alvarez-Coque, G. Ramis Ramos and J. D. Winefordner	29	Low- and room-temperature phosphorescence characteristics of some pharmaceutical compounds
A.-A. M. Wahbi, M. A. Abounassif and H. M. G. Al-Kahtani	39	Spectrophotometric determination of vitamin A in oily capsules using first derivative curves
R. Siegler, L. A. Sternson and J. F. Stobaugh	45	Suitability of DTAF as a fluorescent labelling reagent for direct analysis of primary and secondary amines—spectral and chemical reactivity considerations
V. Springolo and G. Coppi	57	HPLC determination of tetroxoprim and sulphadiazine in pharmaceutical dosage forms and in biological fluids
B. Wiese and K. Martin	67	Basic extraction studies of benzylpenicillin and its determination by liquid chromatography with pre-column derivatisation
B. Wiese	79	Digital subtraction chromatography: an LC-technique to reduce disturbing peaks in bioanalysis
B. Wiese and K. Martin	95	Determination of benzylpenicillin in milk at the pg ml^{-1} level by reversed-phase liquid chromatography in combination with digital subtraction chromatography technique
B. Wiese and K. Martin	107	Determination of benzylpenicillin in plasma and lymph at the ng ml^{-1} level by reversed-phase liquid chromatography in combination with digital subtraction chromatography technique
Short Communications		
G. P. Mould, J. Read, D. Edwards and A. Bye	119	A comparison of the high-performance liquid chromatography and RIA measurement of medroxyprogesterone acetate
O. Teirlynck, M. G. Bogaert, P. Demedts and H. Taelman	123	Rapid high-performance liquid chromatographic determination of suramin in plasma of patients with acquired immune deficiency syndrome (AIDS) or AIDS-related complex (ARC)
H. Vanderhaeghe	127	Replacement of microbiological assays of antibiotics based on high-performance liquid chromatography

Number 2

Special Issue: Biomolecules—Analytical Options

A. F. Fell	129	Editorial
Full Papers		
E. C. Esber	131	An overview of the strengths and limitations of biological assays in quality control
J. van Noordwijk	139	Bioassays in whole animals
K. C. Zoon, D. L. Zur Nedden, R. W. Kozak and D. Gurari-Rotman	147	Cell receptor assays
R. P. Ekins	155	Multi-analyte immunoassay
D. R. Bangham	169	Assays for human growth hormones
P. Gellerfors, G. Eketorp, K. Fhölenhag, B. Pavlu, S. Johansson and L. Fryklund	173	Characterisation of a secreted form of recombinant derived human growth hormone, expressed in *Escherichia coli* cells
N. A. Farid, L. M. Atkins, G. W. Becker, A. Dinner, R. E. Heiney, D. J. Miner and R. M. Riggin	185	Liquid chromatographic control of the identity, purity and "potency" of biomolecules used as drugs
J. Trethewey	189	Bio-assays for the analysis of insulin
E. Stürmer	199	Vasopressin, oxytocin and synthetic analogues: the use of bioassays
F. Maxl and W. Siehr	211	The use of high-performance liquid chromatography in the quality control of oxytocin, vasopressin and synthetic analogues
T. W. Barrowcliffe, B. Mulloy, E. A. Johnson and D. P. Thomas	217	The anticoagulant activity of heparin: measurement and relationship to chemical structure
J. H. Peetermans	227	Quality assessment of DNA vaccines: hepatitis-B vaccine
E. Lundgren, M. Kandefer-Szerszen, G. Andersson and H.-P. Ekre	233	Interferon-α : a gene family in therapeutic use
M. V. Novotny	239	New developments in bioanalytical chromatography
P. Roepstorff	247	Plasma desorption mass spectrometry of large biomolecules
R. L. Garnick	255	Safety aspects in the quality control of recombinant products from mammalian cell culture
Report		
M. L. Rabouhans	267	Panel discussion: comparative evaluation of biological and chemical methods for the quality control of biomolecules used as drugs

CONTENTS

Number 3

Review

L. F. S. Chagonda and J. S. Millership — 271 — The determination of chlorpromazine, related impurities and degradation products in pharmaceutical dosage forms

Full Papers

S. M. Sultan, S. A. Altamrah, A. M. A. Alrahman, I. Z. Alzamil and M. O. Karrar — 279 — Kinetic determination of propranolol in tablets by oxidation with ceric sulphate

P. A. D. Edwardson, J. D. Nichols and K. Sugden — 287 — Application of a modified colorimetric enzyme assay to monitor plasma paracetamol levels following single oral doses to non-patient volunteers

J. M. Fernandez-Romero, M. D. L. de Castro and M. Valcarcel — 295 — Comparison of different flow injection approaches to the automatic determination of enzymatic activity

S. Lonardi, R. Viviani, L. Mosconi, M. Bernuzzi, P. Corti, E. Dreassi, C. Murratzu and G. Corbini — 303 — Drug analysis by near-infra-red reflectance spectroscopy. Determination of the active ingredient and water content in antibiotic powders

H. Ueda, R. Pereira-Rosario, C. M. Riley and J. H. Perrin — 309 — Diode array spectroscopy in pharmaceutical analysis: determination of acetaminophen/codeine phosphate tablets

Suresh C. Sharma, Satish C. Sharma, R. C. Saxena and S. K. Talwar — 321 — Simultaneous spectrophotometric analysis of a ternary mixture of pharmaceuticals—assay for meclozine hydrochloride, pyridoxine hydrochloride and caffeine

C. Kikuta and R. Schmid — 329 — Specific high-performance liquid chromatographic analysis of tamoxifen and its major metabolites by "on-line" extraction and post-column photochemical reaction

N. H. Khan, E. Roets, J. Hoogmartens and H. Vanderhaeghe — 339 — Quantitative analysis of chlortetracycline and related substances by high-performance liquid chromatography

K. Selinger and J. C. Crawhall — 355 — Determination of encainide and its metabolites by high-performance liquid chromatography

L. Dalgaard, J. J. Hansen and J. L. Pedersen — 361 — Resolution and binding site determination of D,L-thyronine by high-performance liquid chromatography using immobilized albumin as chiral stationary phase. Determination of the optical purity of thyroxine in tablets

R. Soto-Otero, E. Mendez-Alvarez, G. Sierra-Paredes, J. Galan-Valiente, E. Aguilar-Veiga and G. Sierra-Marcuño — 369 — Simultaneous determination of the two components of picrotoxin in serum by reversed-phase high-performance liquid chromatography with application to a pharmacokinetic study in rats

G. A. Qureshi, A. R. Qureshi and J. Bergström — 377 — Quantitation of free amino acids in plasma and muscle samples in healthy subjects and uremic patients by high-performance liquid chromatography and fluorescence detection

Short Communications

C. M. Riley, E. A. Monnot, J. F. Stobaugh and M. Slavik — 385 — Determination of spirogermanium (2-aza-8-germanspiro[4.5]-decane-2-propanamine-8,8-diethyl-*N*,*N*-dimethyl dichloride) by fluorometric ion-pair extraction. Application to the uniformity of content of solutions for intravenous injection

CONTENTS

P. J. Weir, D. S. Ireland and A. Moledina — 393 — Analysis of tamoxifen isomers in tablet preparations by high-performance liquid chromatography

J. R. Everett, J. W. Tyler and G. Woodnutt — 397 — A study of flucloxacillin metabolites in rat urine by two-dimensional ^{1}H, ^{19}F COSY NMR

V. Marko — 405 — Improved method for capillary gas–liquid chromatography/nitrogen–phosphorus detection determination of pentacaine in serum

Number 4

Review

W. R. G. Baeyens, K. Nakashima, K. Imai, B. L. Ling and Y. Tsukamoto — 407 — Development of chemiluminescence reactions in biomedical analysis

Full Papers

M. C. Gutiérrez, A. Gómez-Hens and D. Pérez-Bendito — 413 — Stopped-flow determination of procaine hydrochloride in pharmaceutical preparations

L. Nord, M. Sundgren and A. Torstensson — 421 — Flow injection extraction applied to dissolution rate studies of felodipine tablets

M. R. Gasco, M. Gallarate, M. Trotta, L. Bauchiero, E. Gremmo and O. Chiappero — 433 — Microemulsions as topical delivery vehicles: ocular administration of timolol

H. R. Bhagat, H. N. Bhargava and D. A. Williams — 441 — High-performance liquid chromatographic determination of dyclonine hydrochloride in the presence of its degradation products

R. Gill, M. D. Osselton and R. M. Smith — 447 — International collaborative study of the retention reproducibility of basic drugs in high-performance liquid chromatography on a silica column with a methanol–ammonium nitrate eluent

C. G. Kindberg, M. Slavik, C. M. Riley and J. F. Stobaugh — 459 — High-performance liquid chromatography of 5-fluorouracil after derivatization with 4-bromomethyl-7-methoxycoumarin. Characterization of the derivative and the use of column switching for the improvement of resolution and the enhancement of sensitivity

J. van der Boon, G. E. E. J. M. van den Thillart and A. D. F. Addink — 471 — Reversed-phase liquid chromatographic analysis of *o*-phthaldialdehyde-derivatized free amino-acids in two types of goldfish muscles

G. Musch, Y. Buelens and D. L. Massart — 483 — A strategy for the determination of beta blockers in plasma using solid-phase extraction in combination with high-performance liquid chromatography

Short Communications

K. Tulip, J. K. Nicholson and J. A. Timbrell — 499 — A study of the metabolism of dimethylformamide in the rat by high resolution proton NMR spectroscopy

Guoan Luo, Jiaxue Qui, Yiming Wang and Zhengwei Yu — 507 — Application of Kalman filter spectrophotometry in the analysis of pharmaceutical preparations—I. Sulphamethoxypyrazine and trimethroprim in sulpha compound tablets

M. Moneghini, V. Maurich, T. Sciortino, D. Solinas, G. Franchi and E. Lencioni — 513 — A high-performance liquid chromatographic method for the determination of amylase (*p*-nitrophenyl- α -maltosidase) activity

M. E. Sheridan, G. S. Clarke and M. L. Robinson — 519 — Analysis of nifedipine in serum using solid-phase extraction and liquid chromatography

CONTENTS

Number 5

Review

A. Gergely — 523 — A review of the application of chiroptical methods to analytical chemistry

Full Papers

E. Buckley, P. Reilly, J. Rodriguez Flores, R. O'Kennedy and M. R. Smyth — 543 — Adsorptive stripping voltammetry of $F(ab')_2$ and Fab fragments of anti-mouse immunoglobulin G

M. S. Bergren, M. M. Battle, G. W. Halstead and D. L. Theis — 549 — Investigation of the relationship between melting-related parameters and *in vitro* drug release from vaginal suppositories

B. Hegedüs, P. Bod, K. Harsányi, I. Péter, A. Kálmán and L. Párkányi — 563 — Comparison of the polymorphic modifications of famotidine

H. E. Abdellatef, M. N. Elbalkiny and A. Aboulkheir — 571 — Determination of sulphacetamide, sulphadimidine or sulphathiourea in the presence of their degradation products using first derivative spectrophotometry

B. Morelli — 577 — Spectrophotometric determination of paracetamol in pure form and in tablets

P. Mojaverian, P. J. Green, R. K. Jhangiania and G. D. Chase — 585 — Digoxin-like immunoreactive substance: monoclonal and polyclonal RIA and FPIA compared

J. M. Apathy and R. R. Bowsher — 593 — A sensitive immunoradiometric assay for the quantification of murine monoclonal antibodies in human serum

J. Hoogmartens, N. H. Khan, H. Vanderhaeghe, A. L. van der Leeden, M. Oosterbaan, G. L. Veld-Tulp, W. Plugge, C. van der Vlies, D. Mialanne, R. Melamed and J. H. McB. Miller — 601 — A collaborative study of the analysis of doxycycline hyclate by high-performance liquid chromatography on polystyrene-divinylbenzene packing materials

J. A. C. Bierman, H. Lingeman, H. J. E. M. Reeuwijk, E. A. de Bruijn, U. R. Tjaden and J. van der Greef — 611 — Reversed-phase ion-pair analysis of 5-fluorouracil in pig bile, liver homogenate, plasma and urine after administration by isolated liver perfusion

Short Communications

P. B. Issopoulos — 619 — Analytical investigations of β-lactam antibiotics in pharmaceutical preparations—III. Spectrophotometric determination of some cephalosporins using paramolybdate anion

K. Girish Kumar and P. Indrasenan — 627 — Titrimetric determination of *para*-aminobenzoic acid using *N*-bromophthalimide and *N*-bromosaccharin

L. C. Eaton — 633 — Quantitation of residual *Escherichia coli* DNA in recombinant biopharmaceutical proteins by hybridization analysis

H. Ueda, J. H. Perrin and T. Nagai — 639 — A microcalorimetric investigation of the binding of cinnarizine to cyclodextrins

E. Bousquet, N. A. Santagati and T. Lancetta — 643 — Determination of glutathione in biological tissues by high-performance liquid chromatography with electrochemical detection

CONTENTS

Number 6

Review

K. Ondriaš — 649 — Use of electron spin resonance spectroscopy of spin labels for studying drug-induced membrane perturbation

Full Papers

D. J. Mazzo, T. Bujak and R. Martin — 677 — Chemical equivalence of two polyetherpolyurethane foams as a vehicle for povidone–iodine solution: kinetic model for the loss of available iodine

M. N. Khan — 685 — Aqueous degradation of *N*-(hydroxymethyl)phthalimide in the presence of specific and general bases. Kinetic assessment of *N*-hydroxymethyl derivatives of nitrogen heterocycles as possible prodrugs

P. K. Chatterjee, C. L. Jain and P. D. Sethi — 693 — Simultaneous determination of chlorzoxazone and acetaminophen in combined dosage forms by an absorbance ratio technique and difference spectrophotometry

K. P. R. Gartland, C. T. Eason, K. E. Wade, F. W. Bonner and J. K. Nicholson — 699 — Proton NMR spectroscopy of bile for monitoring the excretion of endogenous and xenobiotic metabolites: application to *para*-aminophenol

S. Ebel, W. Mück and F. J. Placke — 709 — Analytical oxidation of reserpine

J. Alary, G. Carrera, C. Escrieut and A. Periquet — 715 — Determination of 2-carboxy thiazolidine-4-carboxylic acid in biological fluids by ion-exchange chromatography

O. W. Lau, K. Chan, Y. K. Lau and W. C. Wong — 725 — The simultaneous determination of active ingredients in cough–cold mixtures by isocratic reversed-phase ion-pair high-performance liquid chromatography

K. E. Herbert, D. L. Scott and D. Perrett — 737 — Determination of cytidine deaminase activity in synovial fluid by HPLC

A. Rahman, N. E. Hoffman and A. M. Rustum — 747 — Determination of ranitidine in plasma by high-performance liquid chromatography

Short Communications

J. Dohnal, Z. Volková and K. Vytřas — 755 — Potentiometric and calorimetric assay of mephenoxalone

Y. K. Agrawal, R. Giridhar and S. K. Menon — 759 — Spectrophotometric determination of hydroflumethiazide

L. Campanella, M. Tomassetti, M. P. Sammartino and P. Stefanoni — 765 — The determination of choline in pharmaceutical preparations by means of an enzyme sensor

J. H. McB. Miller — 771 — Determination of halide acid salts of organic bases and quaternary ammonium compounds by titration

S. Lasić, N. Bobarević and B. Nikolin — 777 — Simultaneous determination of prednisone, prednisolone, cortisol and dexamethasone in plasma by high-performance liquid chromatography

G. C. Pantaleoni, G. Palumbo, D. Fanini, R. Giorgi, G. Carlucci and A. M. Sponta — 783 — A high-performance liquid chromatographic method for the evaluation of aldrin epoxidation by cytochrome P-450 dependent monooxygenase in small liver samples

Number 7

Review
K. Vytřas — 789 — The use of ion-selective electrodes in the determination of drug substances

Analytical Survey
J. J. Kirschbaum — 813 — Inter-laboratory transfer of HPLC methods: problems and solutions

Full Papers
J. Dohnal, K. Vytřas, Z. Roubal and I. Zemanová — 835 — Determination of sulphated glycosaminoglycans by automated potentiometric titration with simple coated-wire electrodes

F. Molina, M. C. Valencia, J. De la Torre and L. F. Capitán-Vallvey — 843 — Determination of acetoacetate in urine by solid-phase spectrophotometry

N. Joslin Kjeldsen, A. E. Beezer and R. J. Miles — 851 — Flow microcalorimetric assay of antibiotics—I. Polymyxin B sulphate and its combinations with neomycin sulphate and zinc bacitracin on interaction with *Bordetella bronchiseptica* (NCTC 8344)

N. Joslin Kjeldsen, A. E. Beezer and R. J. Miles — 859 — Flow microcalorimetric assay of antibiotics—II. Neomycin sulphate and its combinations with polymyxin B sulphate and zinc bacitracin on interaction with *Bacillus pumilus* (NCTC 8241)

N. Joslin Kjeldsen, A. E. Beezer and R. J. Miles — 865 — Flow microcalorimetric assay of antibiotics—III. Zinc bacitracin and its combinations with polymyxin B sulphate and neomycin sulphate on interaction with *Micrococcus luteus*

N. Joslin Kjeldsen, A. E. Beezer, R. J. Miles and H. Sodha — 871 — Flow microcalorimetric assay of antibiotics—IV. Polymyxin B sulphate, neomycin sulphate, zinc bacitracin and their combinations with *Escherichia coli* suspended in buffer plus glucose medium

A. El-Yazigi and A. Yusuf — 877 — Rapid liquid chromatographic analysis of mitoxantrone in plasma with C_{18} sample purification

M. Sekkat, H. Fabre, M. Simeon de Buochberg and B. Mandrou — 883 — Determination of aminoglycosides in pharmaceutical formulations—I. Thin-layer chromatography

Short Communications
O. R. Idowu — 893 — Detection and estimation of pyrimethamine in urine

D. Ngur, C. Wambebe and G. Osuide — 899 — Simultaneous determination of monoamines and their principal metabolites in brain tissue of the young chick by reversed-phase ion-pair high-performance liquid chromatography

D. B. Whigan, E. Ivashkiv and A. I. Cohen — 907 — Determination of pravastatin sodium and its isomeric metabolite in human urine by HPLC with UV detection

H. Mascher and C. Kikuta — 913 — Rapid method for the sensitive determination of Piracetam in plasma by high-performance liquid chromatography

917 — Book Review

Number 8

Full Papers

G. M. Hanna and C. A. Lau-Cam — 919 — Determination of the optical purity of indacrinone by proton nuclear magnetic resonance spectroscopy using chiral lanthanide chelates

M. Otagiri, T. Imai, H. Koinuma and U. Matsumoto — 929 — Spectroscopic study of the interaction of coumarin anticoagulant drugs with polyvinylpyrrolidone

L.-G. Danielsson and Zhao Huazhang — 937 — FIA-extraction applied to the limit test for heavy metals

L. J. Kunze and S. Lindenbaum — 947 — An ion-selective microelectrode for bile salts

R. L. Miller and P. S. Verma — 955 — A radioimmunoassay for physostigmine in biological fluids and tissues

K. Kawakatsu, K. Nishimura, M. Kawai and M. Chikuma — 965 — Separation and determination of theophylline from paraxanthine in human serum by reversed-phase high-performance liquid chromatography

H. Hosotsubo and K. Hosotsubo — 975 — Improved high-performance liquid chromatographic determination of Amphotericin B in human serum and plasma

Short Communications

M. Kozma, M. Vajda and L. Vereczkey — 981 — Comparative pharmacokinetics of two crystalline forms of famotidine in dogs

W. M. Bothwell, K. S. Cathcart and P. A. Bombardt — 987 — An on-line, column-switching high-performance liquid chromatographic procedure for the removal of probenecid from human plasma, serum, or urine in the quantitative determination of cefmetazole or cefoxitin

E. Gaetani, C. F. Laureri and M. Vitto — 997 — Reversed-phase liquid chromatographic determination of Eterobarb and its metabolites in plasma

K. Selinger, G. Lebel, H. M. Hill and J. A. Anslow — 1001 — A high-performance liquid chromatographic method for the analysis of amoxapine in human plasma

Number 9

Proceedings of an International Symposium on Biomedical Applications of Liquid Chromatography

M. B. Evans and A. F. Fell — 1009 — Editorial

Review

S. H. Y. Wong — 1011 — Advances in liquid chromatography and related methodologies for therapeutic drug monitoring

Full Papers

I. W. Wainer — 1033 — The application of achiral/chiral coupled-column high-performance liquid chromatography to biomedical analysis

E. C. Nice and R. J. Simpson — 1039 — Micropreparative high-performance liquid chromatography of proteins and peptides

M. Johansson, H. Forsmo-Bruce, A. T. Alm and D. Westerlund — 1055 — Effects of system peaks in a coupled column system for noscapine and its metabolites

C. M. Dicken and L. A. Sternson — 1071 — Analytical challenges to the pharmaceutical industry in developing products of biotechnology

D. W. Roberts, R. J. Ruane and I. D. Wilson — 1077 — The use of graphitized carbon black in solid phase extraction: comparison with C_{18} bonded silica gel

R. D. McDowall, E. Doyle, G. S. Murkitt and V. S. Picot — 1087 — Sample preparation for the HPLC analysis of drugs in biological fluids

Short Communication

D. Stevenson — 1097 — Approaches to method development for trace organic analysis

Number 10

Review

M. C. Manning — 1103 — Underlying assumptions in the estimation of secondary structure content in proteins by circular dichroism spectroscopy—a critical review

Full Papers

A. F. Casy, C. Çryer and E. M. A. Ominde — 1121 — Mass spectrometry of β-lactam antibiotics with special reference to ionization by fast atom bombardment (FAB)

A. Di Giulio, G. Maurizi, M. A. Saletti, G. Amicosante, P. Mazzeo and A. Oratore — 1159 — The ultraviolet derivative spectrophotometric determination of neutral liposome-entrapped β-lactam antibiotics

J. M. Calatayud and S. S. Vives — 1165 — An oxidative column for the flow injection analysis–spectrophotometric determination of paracetamol

C. Larsen — 1173 — Quantitative determination of dextran–naproxen ester pro-drugs with varying molecular weights and degrees of substitution in biological media by means of high-performance size exclusion chromatography with fluorescence detection

C.-X. Gao and I. S. Krull — 1183 — Determination of enantiomeric drugs in physiological fluids using on-line solid phase derivatizations and reversed-phase liquid chromatography

R. D. Thompson and M. Carlson — 1199 — Determination of thymol in halothane anaesthetic preparations by high-performance liquid chromatography

Short Communications

V. Ščasnár, Š. Bezek and T. Trnovec — 1207 — Fluorimetric assay of stobadine in serum of dogs

M. Delgado Zamarreño, A. Sánchez Pérez, J. Hernández Méndez and F. A. Martín Dominguez — 1213 — Voltammetric determination of 25-hydroxyvitamin D_3 with a rotating glassy carbon electrode

O. Falk and S. Jacobsson — 1217 — Determination of cyclohexanone in aqueous solutions stored in PVC bags by isotope dilution gas chromatography–mass spectrometry

J. Avramova — 1221 — Simultaneous determination of propyphenazone, paracetamol and caffeine in blood by high-performance liquid chromatography

Number 11

Full Papers

J. Ruz, P. Linares, M. D. Luque de Castro, J. M. Caridad and M. Valcárcel — 1225 — Development of a statistical model for predicting the ethanol content of blood from measurements on saliva or breath samples

A. C. Tas, H. van den Berg, J. Odink, H. Korthals, J. T. N. M. Thissen and J. van der Greef — 1239 — Direct chemical ionization–mass spectrometric profiling of urine in premenstrual syndrome

D. O. Scott, M. A. Bell and C. E. Lunte — 1249 — Microdialysis-perfusion sampling for the investigation of phenol metabolism

P. J. M. Salemink, H. J. W. Elzerman, J. Th. Stenfert and T. C. J. Gribnau — 1261 — Application of scanning electron microscopy and energy-dispersive X-ray analysis to the solution behaviour of Zn–insulin: precipitation phenomena

K. Shimooka, Y. Sawada and H. Tatematsu — 1267 — Analysis of amlodipine in serum by a sensitive high-performance liquid chromatographic method with amperometric detection

D. A. Ogden, A. A. McKechnie, D. A. Bolton, R. B. Rankin, S. E. Dobbins and J. A. Clements — 1273 — Determination of pipothiazine in human plasma by reversed-phase high-performance liquid chromatography

Short Communication

N. D. Danielson, L. He, J. B. Noffsinger and L. Trelli — 1281 — Determination of erythromycin in tablets and capsules using flow injection analysis with chemiluminescence detection

1287 — Book Review

Number 12

Special Issue: Invited Plenary, Keynote and Submitted Papers from the Third International Symposium on Drug Analysis, May 1989, Antwerp, Belgium

A. F. Fell and C. M. Riley — xi — Editorial

Invited Lectures

M. D. Luque de Castro and M. Valcárcel — 1291 — Flow injection analysis of pharmaceuticals

Yan Xu, H. B. Halsall and W. R. Heineman — 1301 — Solid-phase electrochemical enzyme immunoassay with attomole detection limit by flow injection analysis

J. C. Berridge — 1313 — Advances in automation of pharmaceutical analysis

J.-C. Viré, J.-M. Kauffmann and G. J. Patriarche — 1323 — Adsorptive stripping voltammetry applied to drug analysis: a powerful tool

M. Hamburger and K. Hostettmann — 1337 — Analytical aspects of drugs of natural origin

T. A. Baillie, P. G. Pearson, M. S. Rashed and W. N. Howald — 1351 — The use of mass spectrometry in the study of chemically-reactive drug metabolites. Application of MS/MS and LC/MS to the analysis of glutathione- and related *S*-linked conjugates of *N*-methylformamide

CONTENTS

P. R. Coulet, L. J. Blum and S. M. Gautier	1361	Optically-based chemical and biochemical sensors for the detection of some drugs and biological compounds
M. Mascini, G. Palleschi, D. Moscone and L. Bernardi	1377	Extracorporeal determination of glucose, lactate and potassium with electrochemical biosensors
W. R. G. Baeyens and B. Lin Ling	1385	Analytical applications of enhanced drug luminescence
K. Imai, S. Uzu and T. Toyo'oka	1395	Fluorogenic reagents, having benzofurazan structure, in liquid chromatography
L. A. C. Pieters and A. J. Vlietinck	1405	Applications of quantitative ^{1}H- and ^{13}C-NMR spectroscopy in drug analysis
Submitted Papers		
D. Giron-Forest, Ch. Goldbronn and P. Piechon	1421	Thermal analysis methods for pharmacopoeial materials
D. Pérez-Bendito, A. Gómez-Hens, M. Silva, M. C. Gutiérrez and M. Carmona	1435	A modular stopped-flow system for use in routine pharmaceutical analysis
J. Martinez Calatayud and J. V. Garcia Mateo	1441	FIA determination of chlorhexidine by means of the precipitation with Cu(II)
H. Salomies, L. Luukkanen and R. Knuutila	1447	Oxidation of β-blocking agents—VII. Periodate oxidation of labetalol
A. A. Elujoba, O. O. Ajulo and G. O. Iweibo	1453	Chemical and biological analyses of Nigerian *Cassia* species for laxative activity
A. Paci, F. Cocci, G. Ciarimboli, F. Piras, A. Tonelli and S. Ghione	1459	Binding of ^{14}C-furosemide to isolated human erythrocytes
A. Paci, G. Ciarimboli, M. Miniati, F. Cocci, F. Piras and M. Pistolesi	1467	Lung tissue binding of iodobenzyl-propanediamine: involvement of beta-adrenergic receptors
M. Subhashini, M. S. Subramanian and V. R. S. Rao	1473	Determination of isoniazid in pharmaceutical preparations by reaction with radiochloramine-B
L. J. Nagels, G. Mush and D. L. Massart	1479	Rapid-scan hydrodynamic voltammetry and cyclic voltammetry of pharmaceuticals in flow injection analysis conditions
J. M. Fernández Alvarez, A. Costa García and P. Tuñón Blanco	1485	Adsorptive stripping voltammetric analysis of some pterines in human urine
M. Khodari, J.-M. Kauffmann, G. J. Patriarche and M. A. Ghandour	1491	Applications in drug analysis of carbon paste electrodes modified by fatty acids
J. L. F. C. Lima, M. Conceição, B. S. Montenegro, J. Alonso, J. Bartroli and J. G. Raurich	1499	Solid-state PVC flow-through benzoate electrode
M. Mascini, S. Selleri and M. Riviello	1507	Glucose electrochemical probe with extended linearity for whole blood
A. Snycerski	1513	Polarographic determination of flutamide
N. Purdie, K. A. Swallows, L. H. Murphy and R. B. Purdie	1519	Analytical applications of circular dichroism
S. Görög, M. Rényei and B. Herényi	1527	The changing rôle of ultraviolet spectroscopy in drug analysis

V. Cavrini, A. M. Di Pietra and R. Gatti	1535	Analysis of miconazole and econazole in pharmaceutical formulations by derivative UV spectroscopy and liquid chromatography (HPLC)
M. A. Raggi, L. Nobile, M. Ramini and I. Perboni	1545	Determination of potassium in pharmaceutical formulations by means of 18-crown-6: extraction studies
M. B. Sidhom and M. R. Velez	1551	Monitoring the effect of triamterene and hydrochlorothiazide on dihydrofolate reductase activity using a new spectrophotometric method
S. Agatonovic-Kustrin and L. J. Zivanovic	1559	Spectrophotometric study of polythiazide–palladium(II) complex
M. Jelikić-Stankov, D. Veselinović, D. Malešev and Z. Radović	1565	Spectrophotometric determination of oxytetracycline in pharmaceutical preparations using sodium molybdate as analytical reagent
M. Jelikić-Stankov, D. Veselinović, D. Malešev and Z. Radović	1571	Spectrophotometric determination of pefloxacin in pharmaceutical preparations
A. Farina	1579	Fluorimetric assay of rufloxacin in serum and in pharmaceutical formulations
R. Fricoteaux, J. J. Aaron and M. G. Quaglia	1585	Photochemical fluorimetric analysis of phenylbutazone and its degradation products
D. B. Hooker and J. Dezwaan	1591	Applications of a simultaneous atomic emission mass spectral gas chromatography detector in drug analysis
J. Claereboudt, B. De Spiegeleer, E. A. de Bruijn, R. Gijbels and M. Claeys	1599	Structural characterization of cisplatin analogues by fast atom bombardment (FAB) and laser microprobe mass spectrometry (LAMMA)
S. Pinzauti, M. Bambagiotti-Alberti, G. Moneti, E. La Porta, S. A. Coran, F. F. Vincieri and P. Gratteri	1611	Determination of benzalkonium chloride in contact lens solutions by positive-ion fast atom bombardment mass spectrometry
E. G. de Jong, J. Kiffers and R. A. A. Maes	1617	The determination of non-steroidal anti-inflammatory drugs by GC–MS–MS in equine urine
S. Auriola, R. Kostiainen, M. Ylinen, J. Mönkkönen and P. Ylitalo	1623	Analysis of (dichloromethylene) bisphosphonate in urine by capillary gas chromatography–mass spectrometry
J. J. Janssens, M. I. Selala, F. F. Daelemans, S. W. Andries and P. J. C. Schepens	1631	Quantitative determination of nitroglycerin by capillary gas chromatography–electron capture detection
Li Qimin and Dong Shannian	1635	Gas chromatographic analysis of norcantharidin and related compounds using derivatization to imides
G. Vanlaeke, H. Cuppens, L. Leyssens and J. Raus	1641	Identification of polysaccharides in pharmaceuticals by capillary gas chromatography
C. M. Stas, P. A. Jacqmin and P. L. Pellegrin	1651	Comparison of gas–liquid chromatography and fluorescence polarization immunoassay for therapeutic drug monitoring of flecainide acetate
J. Novaković, D. Agbaba and D. Živanov Stakić	1657	Fluorodensitometric determination of conjugated estrogens in raw material and in pharmaceutical preparations
B. Lin Ling, W. R. G. Baeyens, B. Del Castillo, K. Imai, P. De Moerloose and K. Stragier	1663	Determination of thiols of biological and pharmacological interest by high-performance thin-layer chromatography and fluorescence scanning densitometry

CONTENTS

B. Lin Ling, W. R. G. Baeyens, B. Del Castiilo, K. Stragier, H. Marysael and P. De Moerloose	1671	Use of enhancers in the HPTLC fluorescence analysis of thiols
H. Irth, R. Tocklu, K. Welten, G. J. de Jong, R. W. Frei and U. A. Th. Brinkman	1679	Trace enrichment on a metal-loaded thiol stationary phase in liquid chromatography: effect of analyte structure and pH value on the (de)sorption behaviour
Weng Naidong, E. Roets and J. Hoogmartens	1691	Quantitative analysis of demeclocycline by high-performance liquid chromatography
N. Beaulieu, S. J. Graham, R. W. Sears and E. G. Lovering	1705	Validation of a method for the assay of related compounds in famotidine raw materials and formulations
H. Fabre, M. Sekkat, M. D. Blanchin and B. Mandrou	1711	Determination of aminoglycosides in pharmaceutical formulations—II. High-performance liquid chromatography
J. D. De Marco, S. E. Biffar, D. G. Reed and M. A. Brooks	1719	The determination of 4-amino-1-hydroxybutane-1,1-diphosphonic acid monosodium salt trihydrate in pharmaceutical dosage forms by high-performance liquid chromatography
A. Gomez-Gomar, M. Gonzalez-Aubert and J. Costa-Segarra	1729	HPLC method for the simultaneous determination of pilocarpine, isopilocarpine, pilocarpic acid and isopilocarpic acid
P. Salvadori, C. Bertucci, E. Domenici and G. Giannaccini	1735	Chiral 1,4-benzodiazepin-2-ones: relationship between stereochemistry and pharmacological activity
A. F. Fell, T. A. G. Noctor and B. Kaye	1743	*In vitro* metabolism studies on oxamniquine and related compounds by chiral liquid chromatography
R. W. Schmid and C. Wolf	1749	Simultaneous determination of thiopental and its metabolite, pentobarbital, in blood by high-performance liquid chromatography and post-column photochemical reaction
M. T. Kelly and M. R. Smyth	1757	A comparison of silica and alumina columns for high-performance liquid chromatographic separations of basic drugs and plasma constituents following on-line solid-phase extraction with column switching
M. J. B. Mengelers, M. B. M. Oorsprong, H. A. Kuiper, M. M. L. Aerts, E. R. van Gogh and A. S. J. P. A. M. van Miert	1765	Determination of sulfadimethoxine, sulfamethoxazole, trimethoprim and their main metabolites in porcine plasma by column switching HPLC
T. Alebić-Kolbah, F. Plavšić and A. Wolf-Čoporda	1777	Determination of serum atenolol using HPLC with fluorescence detection following isolation with activated charcoal
E. Brendel, I. Meineke and C. de Mey	1783	Assay of antipyrine and its main metabolites 3-hydroxymethylantipyrine, norantipyrine and 4-hydroxyantipyrine in urine
W. J. M. Underberg, G. A. Hofman, S. C. M. Lubbers, O. Bekers, W. W. Ten Bokkel Huinink and J. H. Beijnen	1791	Bio-analysis and preliminary pharmacokinetics of the experimental antitumour drug LL-D49194 α_1
C. Sauveur, A. Baune, N. Vergnes and J. Ph. Jeanniot	1799	The determination of fenspiride in human plasma and urine by liquid chromatography with electrochemical or ultraviolet detection
M. Tkaczyková and L. Šafařík	1805	High-performance liquid chromatography of deacetylmetipranolol in plasma
J. G. Besner, C. Band, J. J. Rondeau, L. Yamlahi, G. Caillé, F. Varin and J. Stewart	1811	Determination of opiates and other basic drugs by high-performance liquid chromatography with electrochemical detection

CONTENTS

Ph. Hubert, M. Renson and J. Crommen	1819	A fully automated high-performance liquid chromatographic method for the determination of indomethacin in plasma
E. J. Mulders and D. van de Lagemaat	1829	Determination of residues of tetracycline antibiotics in animal tissues by high-performance liquid chromatography
P. Leroy, D. Decolin, S. Nicolas, P. Archimbault and A. Nicolas	1837	Residue determination of two co-administered antibacterial agents—cephalexin and colistin—in calf tissues using high-performance liquid chromatography and microbiological methods
Short Communications		
C. van Nerom, G. Bormans, B. Cleynhens, M. de Roo and A. Verbruggen	1849	A convenient configuration for safe and efficient radio-HPLC of ^{99m}Tc-radiopharmaceuticals
Z. Fijałek, J. Chodkowski, M. Warowna and M. Kaniowski	1853	Polarographic studies of drugs of purine derivatives—II
F. Negretti	1861	Experimental observations on the bacteriological controls of the antibiotics—I. Antibacterial activity of membranes employed in bacteriological assays
P. Casetta and F. Negretti	1867	Experimental observations on the bacteriological controls of antibiotics—II. Inactivation of the antimicrobial activity of membranes employed for the filtration of antibiotics
M. Vanhaelen and R. Vanhaelen-Fastre	1871	TLC-densitometric determination of 2,3-*cis*-procyanidin monomer and oligomers from Hawthorn (*Crataegus laevigata* and *C. monogyna*)
R. Mariani, M. Farina and W. Sfreddo	1877	Studies of iododoxorubicin by HPLC
B. J. Clark and J. E. Mama	1883	Resolution of chiral compounds by HPLC using mobile phase additives and a porous graphitic carbon stationary phase
D. Živanov-Stakić, L. J. Solomun and L. J. Živanović	1889	High-performance liquid chromatographic method for the determination of bumetanide in pharmaceutical preparations
D. Živanov-Stakić, LJ. Milošević and D. Agbaba	1893	Spectrophotometric determination of mesterolone in tablets using 3-acetylaminobenzaldehydethiosemicarbazone
M. Jedrychowski, E. Hoffmann and P. R. Bieck	1897	A rapid and sensitive method for the quantitation of levoprotiline in human blood and plasma
Z. Pawlak and B. J. Clark	1903	Assay of dothiepin hydrochloride and its geometric isomers by liquid chromatography
M. I. Arranz Peña and C. Moro	1909	Amiodarone determination by high-performance liquid chromatography
M. I. Arranz Peña and C. Moro	1915	Propafenone monitoring in patients with refractory ventricular arrhythmias
M. Lefebvre, D. Garceau, J. Spenard, J. M. Houle, D. Major and G. Caillé	1919	High-performance liquid chromatographic method for the assay of TA-3090 and its pharmacokinetic parameters in healthy volunteers

CONTENTS

S. Boucher, F. Varin, Y. Theoret, P.Du Souich and G. Caillé	1925	High-performance liquid chromatographic method for the determination of diltiazem and two of its metabolites in human plasma: application to a new sustained release formulation
G. Caccialanza, C. Gandini, M. Kitsos and G. Massolini	1931	Liquid chromatographic analysis of phospholipids in washings from rabbit eustachian tube: dipalmitoyl phosphatidylethanolamine content